

CSCI 4152/6509

Natural Language Processing

Lab 2:

Perl Tutorial 2

Lab Instructor: Aditya Joshi and Tymon Wranik-Lohrenz

Faculty of Computer Science

Dalhousie University

Lab Overview

- Use of Regular Expressions in Perl
- This topic is discussed in class, we will see some more examples in this lab
- The second part of the lab includes some practice with Regular Expressions
- Overview of some Perl input/output functions and some hands-on exercises

Lab Evaluation

- The lab will be evaluated as a part of an assignment with the same submission deadline as the assignment, which will be at least one week after the lab.
- Files to be submitted by the end of the lab are:
 1. `lab2-matching.pl`
 2. `lab2-matching-data.pl`
 3. `lab2-word-counter.pl`
 4. `lab2-replace.pl`
 5. `lab2-line-count.pl`

Some References about Regular Expressions in Perl

- To read more (e.g., on timberlea):
 - `man perlrequick`
 - `man perlretut`
 - `man perlre`
- Same information on:
 - `http://perldoc.perl.org/perlrequick.html`
 - `http://perldoc.perl.org/perlretut.html`
 - `http://perldoc.perl.org/perlre.html`
- Used for string matching, searching, transforming
- Built-in Perl feature

Introduction to Regular Expressions

- A simple example:

```
if ("Hello World" =~ /World/) {  
    print "It matches\n";  
} else {  
    print "It does not match\n";  
}
```

- What is the output of this code snippet?

Regular Expressions: Basics

- A simple way to test a regular expression:

```
while (<>)  
{ print if /book/ }
```

prints lines that contain substring 'book'

- `/chee[sp]eca[rk]e/` would match: cheesecare, cheepecare, cheesecake, cheepecake
- option `/i` matches case variants; i.e., `/book/i` would match Book, BOOK, bOoK, etc., as well
- Beware that substrings of words are matched, e.g.,
"That hat is red" =~ `/hat/`; matches 'hat' in
'Th**at**'

RegEx — No match

```
if ("Hello World" !~ /World/) {  
    print "It doesn't match\n";  
  
} else {  
  
    print "It matches\n";  
  
}
```

Character Classes with Brackets

<code>/200[012345]/</code>	match one of the characters
<code>/200[0-9]/</code>	character range
<code>/From[^:!] /</code>	match any character but : or !
<code>/[^a]at/</code>	does not match 'aat' or just 'at' but does 'bat', 'cat', '0at', '%at, etc.
<code>/[a^]at/</code>	matches 'aat' or '^at'
<code>/[^a-zA-Z]the[^a-zA-Z]/</code>	multiple ranges
<code>/[0-9ABCDEFa-f]/</code>	match a hexadecimal digit

Character Classes, Special notation

- . (period) any character but new-line
- \d any digit; i.e., same as [0-9]
- \D any character but digit
- \s any whitespace character; e.g., space, tab, newline
- \S any character but whitespace; i.e., printable
- \w any word character (letter, digit, underscore)
- \W any non-word character; i.e., any except word characters

Some more examples:

- /\d\d:\d\d:\d\d/ matches a hh:mm:ss time format
- /[\d\s]/ matches any digit or whitespace
- /\w\W\w/ matches a word char, followed by non-word char, followed by word char
- /..rt/ matches any two chars followed by 'rt'
- /end\./ matches 'end.'

Word Boundary Anchor (\b)

- \b is word boundary anchor. It matches inter-character position where a word starts or ends; e.g., between \w and \W
- Examples:

\$x = "Housecat catenates house and cat";

\$x =~ /cat/ matches cat in 'housecat'

\$x =~ /\bcat/ matches cat in 'catenates'

\$x =~ /cat\b/ matches cat in 'housecat'

\$x =~ /\bcat\b/ matches 'cat' at end of string

Anchors ^ and \$

```
"housekeeper" =~ /keeper/;      # match
"housekeeper" =~ /^keeper/;     # no match
"housekeeper" =~ /keeper$/;     # match
"housekeeper\n" =~ /keeper$/;  # match

"keeper" =~ /^keep$/;          # no match
"keeper" =~ /^keeper$/;        # match

"" =~ /^$/; # ^$ matches an empty
             # string
```

Disjunction (or Alternatives, Choices)

```
"cats and dogs" =~ /cat|dog|bird/; # matches "cat"
```

```
"cats and dogs" =~ /dog|cat|bird/; # matches "cat"
```

```
"cab" =~ /a|b|c/ # matches "c"
```

```
          # /a|b|c/ == /[abc]/
```

```
/(a|b)b/; # matches "ab" or "bb"
```

```
/(ac|b)b/; # matches "acb" or "bb"
```

```
/(^a|b)c/; # matches "ac" at start, "bc" anywhere
```

```
/(a|[bc])d/; # matches "ad", "bd", or "cd"
```

```
/house(cat|)/; # matches "housecat" or "house"
```

```
/house(cat(s|)|)/; # matches "housecats", "housecat"  
                    # or "house". Groups can be nested.
```

```
/(19|20|)\d\d/; # match years 19xx, 20xx, or xx
```

```
"20" =~ /(19|20|)\d\d/; # matches null alternative  
                        # /(19|20)\d\d/ would not match
```

Iterations

`a?` means: match "a" 1 or 0 times

`a*` means: match "a" 0 or more times;
i.e., any number of times

`a+` means: match "a" 1 or more times;
i.e., at least once

`a{n,m}` means: match at least n times and
not more than m times.

`a{n,}` means: match at least n or more times

`a{n}` means: match exactly n times

`/[a-z]+\s+\d*/` letters a-z, spaces, and maybe digits

`/(\w+)\s+\1/` match doubled words (back reference)

`/y(es)?/i` 'y', 'Y', or case-insensitive 'yes'

Captures (or Extractions)

```
# extract hours, minutes, seconds
if ($time =~ /(\d\d):(\d\d):(\d\d)/)
{ # match hh:mm:ss format
  $hours = $1;
  $minutes = $2;
  $seconds = $3;
}
```

```
# Another way to capture substrings:
($h, $m, $s) = ($time =~ /(\d\d):(\d\d):(\d\d)/);
```

```
/(ab(cd|ef)((gi)|j))/;
1  2      34          # opening parentheses order
```

```
/\b(\w\w\w)\s\1\b/;    # use of backreferences
```

Selective Grouping

```
# may want to use grouping but no substring capture  
# use modified grouping: (?:regex)
```

```
# E.g.: match a number, $1-$4 are set, but we want $1  
/([+-]?\ *(\d+(\.\d*)?|\.\d+)([eE][+-]?\d+)?) /;
```

```
# match a number faster, only $1 is set:  
/([+-]?\ *(?:\d+(?:\.\d*)?|\.\d+)(?:[eE][+-]?\d+)?) /;
```

```
# match a number, get $1 = entire num., $2 = exp.  
/([+-]?\ *(?:\d+(?:\.\d*)?|\.\d+)(?:[eE]([+-]?\d+))?) /;
```

Greediness in regex Matching

by default: left-most longest match (greedy)

```
$x = "the cat in the hat";
```

```
$x =~ /^ (.*) (at) (.*) $/;
```

```
# matches:
```

```
# $1 = 'the cat in the h' (left-most longest)
```

```
# $2 = 'at'
```

```
# $3 = '' (0 characters match)
```

```
$x =~ /^ (.*)? (at) (.*) $/; # first group shortest match
```

```
# matches:
```

```
# $1 = 'the c'
```

```
# $2 = 'at'
```

```
# $3 = ' in the hat'
```


Shortest Matches (Minimizing Greediness)

`a??` # match 'a' 0 or 1 times. Try 0 first, then 1.

`a*?` # match 'a' 0 or more times, but as few times
 # as possible

`a+?` # match 'a' 1 or more times, but as few times
 # as possible

`a{n,m}?` # match at least n and not more than m times,
 # but as as few times as possible

`a{n,}??` # match at least n times, but as few times as
 # possible

`a{n}?` # match exactly n times; so `a{n}?` is equivalent
 # to `a{n}`

Look-aheads, Look-behinds

```
$x = "I catch the housecat 'Tom-cat' with catnip";
```

```
$x =~ /cat (?=\s) /; # look-ahead  
# matches 'cat' in 'housecat'
```

```
@catwords = ($x =~ /(?<=\s) cat \w+ /g); # look-behind  
# matches:  
# $catwords[0] = 'catch'  
# $catwords[1] = 'catnip'
```

```
$x =~ /\bcat\b/;  
# matches 'cat' in 'Tom-cat'
```

```
$x =~ /(?<=\s) cat (?=\s) /;  
# doesn't match; no isolated 'cat' in  
# middle of $x
```

```
$x =~ /(?<!\s) foo (?!\s) /; # negative look-behind and  
# negative look-ahead
```

Replacements: s/regex/replacement/

General format: s/regexp/replacement/modifiers

1-letter modifiers, also called flags or options

```
$x = "Time to feed the cat!";
```

```
$x =~ s/cat/hacker/;
```

```
# $x now contains "Time to feed the hacker!"
```

```
$strong = 1 if $x =~ s/^(Time.*hacker)!$/ $1 now!;/;
```

```
$y = "'quoted words'";
```

```
$y =~ s/^(.*)'$/ $1/; # strip single quotes,  
# $y contains "quoted words"
```

```
$x =~ s/\bcat\b/dog/g; # modifier 'g' used  
# to replace all matches
```

More Replacement Examples

```
$x = "I batted 4 for 4";  
$x =~ s/4/four/; # does not replace all 4s:  
                  # $x contains "I batted four for 4"  
  
$x = "I batted 4 for 4";  
$x =~ s/4/four/g; # flag "g" (global) replaces all:  
                  # $x contains "I batted four for four"  
  
$x = "Bill the cat";  
$x =~ s/(.)/$ch{$1}++;$1/eg; # flag "e" (evaluate)  
                             # counts characters, and final $1 simply  
                             # replaces char with itself  
  
# Printing characters by frequency, sorted:  
print "frequency of '$_' is $ch{$}_\n"  
    for sort {$ch{$b} <=> $ch{$a}} keys %ch;
```

End of Regular Expressions

- This is the end of the review of regular expressions in Perl
- After this point, there are Hands-on Exercises that you need to complete

Step 1. Logging in to server timberlea

Step 1-a: Login to the server `timberlea`

Step 1-b: Check permissions of your course directory `csci4152` or `csci6509`:

```
ls -ld csci4152 or ls -ld csci6509
```

Step 1-c: Change directory to `csci4152` or `csci6509`

Step 1-d: Create directory `lab2` and enter it:

```
mkdir lab2
```

```
cd lab2
```

Step 2: Testing Regular Expressions

- Create file called `lab2-matching.pl` with the content provided in the notes
- Make it executable and run it
- Enter some input lines including the word 'book' and not
- End input with Control-d (C-d)
- Submit `lab2-matching.pl` using `submit-nlp`

Step 3: Using DATA

- Write a program called `lab2-matching-data.pl` with the content provided in the notes
- Notice use of keywords: `DATA` and `__DATA__`
- Use of variables: `$` , `$&`, and `$'`
- Test it
- You can extend it if you want
- Submit it using `submit-nlp`

Step 4: Counting words

- Write a program called `lab2-word-counter.pl` with the content provided in the notes
- It is a simple program for counting words
- `g` modifier after match is used to continuously match for new words in the loop
- Test it
- Submit it using `submit-nlp`

Step 5: Simple Task 1

- Write a program called `lab2-replace.pl` as specified in the notes
- Read the comments and fill the missing line in the code
- It is about replacing any case-insensitive string 'book' with the strictly lowercase version
- Test it
- Submit it using `nlp-submit`

Some String Functions

- Side note: `man perlfunc` gives a lot of information about different Perl functions
- **chomp** *string*; removes trailing newline from the string if it exists
- Like all predefined Perl functions, **chomp** can be used with parentheses as well, as in:
 chomp(*string*);
- **chomp**; applies `chomp` to the default variable (`$_`), like most other functions
- **length** *string*; string length
- **index**(*str*,*substr*[,*offset*]) returns position of the substring *substr* in the string *str*, starting from offset *offset*; if *offset* is not included, 0 is assumed; returns `-1` if substring not found
- **substr**(*str*,*begin*[,*len*]) returns substring of string *str* starting from *begin*, with length *len*; if *len* is missing, returns to the end of string *str*

Some String Functions: **sprintf**

- **sprintf**(*format*, *@arguments*) an elaborate function to create a string based on a given format with provided list of arguments; similar to the C function `printf`, more information provided in `man perlfunc`

Review: Standard Input and Standard Output

- Remember that *standard input* and *standard output* (and *standard error*) have a precise meaning in the Linux or Unix environment
- When a program reads *standard input* it reads keyboard by default
- When a program writes to *standard output* it prints to the screen terminal
- Redirection operators such as ' $<$ ' and ' $>$ ' can be used to redirect standard input from a file, or standard output to a file
- Redirection operators are used in the command line and do not depend on a programming language

Basic I/O in Perl

- We have seen basic “diamond” operator `<>` for reading input
- The diamond operator `<>` behaves in a special way:
 - if the program is not given arguments, the diamond operator reads the standard input
 - if the program is given arguments, the diamond operator treats the first argument as the file name, opens the file, and reads it; when finished, it will open the next file using the next argument as the file name
- For output, we can use `print`
- `printf` can be used for formatted output
- We can also explicitly open and close files using command `open` and `close`
- `print` can be used to print to a file
- Let us look at some examples

Some I/O Code Snippets

We can read the standard input, or from files specified in the command line and print using the following code snippet:

```
while ($line = <>) { print $line }
```

or using the default variable `$_`:

```
while (<>) { print }
```

The following two lines show different behaviour of `<>` depending on the context:

```
$line = <>; # reads one line
```

```
@lines = <>; # reads all lines,
```

```
print "a line\n"; # output, or
```

```
printf "%10s %10d %12.4f\n", $s, $n, $f1;
```

```
    # formatted output
```

Reading from a File

```
my $filename = 'file.txt';  
  
#using file handle $fh  
  
open(my $fh, '<', $filename);  
  
my $line = <$fh>;  
  
print $line;  
  
close $fh;
```


Reading from a File, with Error Check after Opening

```
my $filename = 'file.txt';  
  
#using file handle $fh  
  
open(my $fh, '<', $filename)  
    or die "Cannot open file $filename: $!";  
  
my $line = <$fh>;  
  
print $line;  
  
close $fh;
```

Writing to a File

```
my $filename = 'file.txt';  
  
#using file handle $fh  
  
open(my $fh, '>', $filename)  
    or die "Cannot open file $filename $!";  
  
print $fh "new first line\n";  
  
close $fh;
```

Appending to a File

```
my $filename = 'file.txt';  
  
#using file handle $fh  
  
open(my $fh, '>>', $filename)  
    or die "Cannot open file $filename $!";  
  
print $fh "new last line\n";  
  
close $fh;
```

Step 6: Count Number of Lines

- Write a program `lab2-line-count.pl`
- Usage: `./lab2-line-count.pl file.txt`
- Output: `file.txt has 124 lines`
- Remember to include a file header comment
- Submit `lab2-line-count.pl` using `nlp-submit`

Step 7: End of the Lab

- Make sure that you submitted all required files:
lab2-matching.pl,
lab2-matching-data.pl,
lab2-word-counter.pl,
lab2-replace.pl,
lab2-line-count.pl
- End of the lab.